ELSEVIER

Molecular Brain Research 36 (1996) 361–363

MOLECULAR BRAIN RESEARCH

Author Index

Abraham, W., see Dragunow, M. (36) 349
Adan, R.A.H., Van der Kraan, M., Doornbos, R.P., Bär, P.R., Burbach, J.P.H. and Gispen, W.H.
Melanocortin receptors mediate α-MSH-induced stimulation of neurite outgrowth in Neuro 2A cells (36) 37
Afar, R., Silverman, R., Aguanno, A. and Albert, V.R.
Positive and negative elements contribute to the cell-specific expression of the rat dopamine β-hydroxylase gene (36) 79
Agnati, L.F., see Dasgupta, S. (36) 292
Aguanno, A., see Afar, R. (36) 79
Albert, V.R., see Afar, R. (36) 79
Arenas, E., see Dasgupta, S. (36) 292
Ashworth, R.G., see Margolis, R.L. (36) 219
Augood, S.J., see Harrington, K.A. (36) 157

Bär, P.R., see Adan, R.A.H. (36) 37
Barone, F.C., see Fan, L. (36) 287
Battenberg, E., see Morales, M. (36) 251
Becker, L.E., see Marks, A. (36) 343
Becker, W., Buttini, M., Limonta, S., Boddeke, H. and Joost, H.G.
Distribution of the mRNA for protein phosphatase T in rat brain (36) 23
Bedell, M.A., see Nagasawa, M. (36) 1
Bjørås, M., Gjesdal, O., Erickson, J.D., Torp, R., Levy, L.M., Ottersen, O.P., Degree, M., Storm-Mathisen, J., Seeberg, E. and Danbolt, N.C.
Cloning and expression of a neuronal rat brain glutamate transporter (36) 163
Bleuel, Z., see Luque, J.M. (36) 357
Bloom, F.E., see Morales, M. (36) 251
Boddeke, H., see Becker, W. (36) 23
Born, W., see Eggenberger, M. (36) 127
Burbach, J.P.H., see Adan, R.A.H. (36) 37
Buttini, M., see Becker, W. (36) 23

Cambray-Deakin, M.A., see Przyborski, S.A. (36) 179
Cansino, V.V., see Kohn, D.T. (36) 240
Cheetham, J.E., Martzen, M.R., Kazee, A.-M. and Coleman, P.D.
Gap-43 message levels in anterior cerebellum in Alzheimer's disease (36) 145
Chen, D.-Z., see Ohkuma, S. (36) 137
Chiaramello, A., see Haire, M.F. (36) 174
Chung, W.J., see Kindler, S. (36) 63
Cloëz-Tayarani, I., Wusher, N., Huerre, M. and Fillion, G.
Cellular localization of 5-HT_{1B} receptor mRNA in the rat olfactory tubercle: do GABAergic neurons express the 5-HT_{1B} gene? (36) 337
Coleman, P.D., see Cheetham, J.E. (36) 145
Combe, C., see Goujon, E. (36) 53
Copeland, N.G., see Nagasawa, M. (36) 1
Crawley, J.N., see Holmes, P.V. (36) 184
Curran, G.L., see Poduslo, J.F. (36) 280

Danbolt, N.C., see Bjørås, M. (36) 163
Dantzer, R., see Goujon, E. (36) 53
Dasgupta, S., Li, X.-M., Jansson, A., Finnman, U.-B., Matsui, T., Rinken, A., Arenas, E., Agnati, L.F. and Fuxe, K.
Regulation of dopamine D_2 receptor affinity by cholecystokinin octapeptide in fibroblast cells cotransfected with human CCK_B and D_2L receptor cDNAs (36) 292
De Erausquin, G., see Isaacs, K.R. (36) 114
Degree, M., see Bjørås, M. (36) 163
De Lecea, L., see Morales, M. (36) 251
Dohanics, J., see Hoffman, G.E. (36) 201
Domowicz, M., see Li, H. (36) 309
Doornbos, R.P., see Adan, R.A.H. (36) 37
Dragunow, M., Abraham, W. and Hughes, P.
Activation of NMDA and muscarinic receptors induces *nur-77* mRNA in hippocampal neurons (36) 349
Dwyer, B.E., see Nishimura, R.N. (36) 227

Eggenberger, M., Flühmann, B., Muff, R., Lauber, M., Lichtensteiger, W., Hunziker, W., Fischer, J.A. and Born, W.
Structure of a parathyroid hormone/parathyroid hormone-related peptide receptor of the human cerebellum and functional expression in human neuroblastoma SK-N-MC cells (36) 127
Ehlenfeldt, R., see Pavlou, O. (36) 268
Emson, P.C., see Harrington, K.A. (36) 157
Erickson, J.D., see Bjørås, M. (36) 163

Falkenberg, T., see Zachrisson, O. (36) 169
Fan, G., see Wick, M.J. (36) 322
Fan, L., Young, P.R., Barone, F.C., Feuerstein, G.Z., Smith, D.H. and McIntosh, T.K.
Experimental brain injury induces differential expression of tumor necrosis factor-α mRNA in the CNS (36) 287
Feuerstein, G.Z., see Fan, L. (36) 287
Fillion, G., see Cloëz-Tayarani, I. (36) 337
Finnman, U.-B., see Dasgupta, S. (36) 292
Fischer, J.A., see Eggenberger, M. (36) 127
Flühmann, B., see Eggenberger, M. (36) 127
Follesa, P., see Hu, X.-J. (36) 211
Foster, O.J.F., see Harrington, K.A. (36) 157
Furuyama, T., Inagaki, S., Iwahashi, Y., Wanaka, A. and Tohyama, M.
Localization of mRNAs for Rlim-1, the rat Xlim-1 homolog, in the developing rat brain (36) 152
Fuxe, K., see Dasgupta, S. (36) 292

Garner, C.C., see Kindler, S. (36) 63
German, D.C., see Ng, M.C. (36) 329
Gispen, W.H., see Adan, R.A.H. (36) 37
Gjesdal, O., see Bjørås, M. (36) 163
Goujon, E., Parnet, P., Layé, S., Combe, C. and Dantzer, R.
Adrenalectomy enhances pro-inflammatory cytokines gene expression, in the spleen, pituitary and brain of mice in response to lipopolysaccharide (36) 53
Grothe, C., see Meisinger, C. (36) 70
Grudt, T.J., Usowicz, M.M. and Henderson, G.
Ca^{2+} entry following store depletion in SH-SY5Y neuroblastoma cells (36) 93
Guo, Y., see Kaplan, I.V. (36) 12

Haire, M.F. and Chiaramello, A.
Transient expression of the basic helix-loop-helix protein NSCL-2 in the mouse cerebellum during postnatal development (36) 174
Hanbauer, I., see Isaacs, K.R. (36) 114
Harrington, K.A., Augood, S.J., Kingsbury, A.E., Foster, O.J.F. and Emson, P.C.
Dopamine transporter (DAT) and synaptic vesicle amine transporter (VMAT2) gene expression in the substantia nigra of control and Parkinson's disease (36) 157
Hayashi, T., see Noga, M. (36) 261
Henderson, G., see Grudt, T.J. (36) 93
Hendrickson, A., see Luque, J.M. (36) 357
Hennig, A., see Li, H. (36) 309
Hertenstein, A., see Meisinger, C. (36) 70
Hoffman, G.E., Dohanics, J., Watson Jr., R.E. and Wiegand, S.J.
The hypothalamic ventromedial nucleus sends a met-enkephalin projection to the preoptic area's periventricular zone in the female rat (36) 201
Holmes, P.V. and Crawley, J.N.
Olfactory bulbectomy increases preprogalanin mRNA levels in the rat locus coeruleus (36) 184

Horn, S., see Pavlou, O. (36) 268
Hu, X.-J., Follesa, P. and Ticku, M.K.
Chronic ethanol treatment produces a selective upregulation of the NMDA receptor subunit gene expression in mammalian cultured cortical neurons (36) 211
Huerre, M., see Cloëz-Tayarani, I. (36) 337
Hughes, P., see Dragunow, M. (36) 349
Hunziker, W., see Eggenberger, M. (36) 127

Iacopino, A.M., see Ng, M.C. (36) 329
Inagaki, S., see Furuyama, T. (36) 152
Isaacs, K.R., De Erausquin, G., Strauss, K.I., Jacobowitz, D.M. and Hanbauer, I.
Differential effects of excitatory amino acids on mesencephalic neurons expressing either calretinin or tyrosine hydroxylase in primary cultures (36) 114
Iwahashi, Y., see Furuyama, T. (36) 152

Jacobowitz, D.M., see Isaacs, K.R. (36) 114
Jansson, A., see Dasgupta, S. (36) 292
Jenkins, N.A., see Nagasawa, M. (36) 1
Joh, T.H., see Son, J.H. (36) 300
Joost, H.G., see Becker, W. (36) 23

Kaplan, I.V., Guo, Y. and Mower, G.D.
Immediate early gene expression in cat visual cortex during and after the critical period: differences between EGR-1 and Fos proteins (36) 12
Katsura, M., see Ohkuma, S. (36) 137
Kawakami, H., see Nakayama, T. (36) 189
Kazee, A.-M., see Cheetham, J.E. (36) 145
Kidwai, A.S., see Margolis, R.L. (36) 219
Kindler, S., Müller, R., Chung, W.J. and Garner, C.C.
Molecular characterization of dendritically localized transcripts encoding MAP2 (36) 63
Kingsbury, A.E., see Harrington, K.A. (36) 157
Kobayashi, S., see Kumai, T. (36) 197
Kohn, D.T., Tsai, K.-C., Cansino, V.V., Neve, R.L. and Perrone-Bizzozero, N.I.
Role of highly conserved pyrimidine-rich sequences in the 3′ untranslated region of the GAP-43 mRNA in mRNA stability and RNA-protein interactions (36) 240
Kumai, T., Tanaka, M., Watanabe, M., Nakura, H., Tateishi, T. and Kobayashi, S.
Elevated tyrosine hydroxylase mRNA levels in medulla oblongata of spontaneously hypertensive rats (36) 197
Kuriyama, K., see Ohkuma, S. (36) 137

Lamed, Y., see Paperna, T. (36) 101
Lauber, M., see Eggenberger, M. (36) 127
Layé, S., see Goujon, E. (36) 53
Lei, M., see Marks, A. (36) 343
Levy, L.M., see Bjørås, M. (36) 163
Li, H., Domowicz, M., Hennig, A. and Schwartz, N.B.
S103L reactive chondroitin sulfate proteoglycan (aggrecan) mRNA expressed in developing chick brain and cartilage is encoded by a single gene (36) 309
Li, S.-H., see Margolis, R.L. (36) 219
Li, X.-M., see Dasgupta, S. (36) 292
Liang, C.-L., see Ng, M.C. (36) 329
Lichtensteiger, W., see Eggenberger, M. (36) 127
Limonta, S., see Becker, W. (36) 23
Lindefors, N., see Zachrisson, O. (36) 169
Loh, H.H., see Wick, M.J. (36) 322
Luque, J.M., Bleuel, Z., Hendrickson, A. and Richards, J.G.
Detection of MAO-A and MAO-B mRNAs in monkey brainstem by cross-hybridization with human oligonucleotide probes (36) 357

Marches, F., see Ng, M.C. (36) 329
Margolis, R.L., Li, S.-H., Young, W.S., Wagster, M.V., Stine, O.C., Kidwai, A.S., Ashworth, R.G. and Ross, C.A.
DRPLA gene (Atrophin-1) sequence and mRNA expression in human brain (36) 219
Marks, A., O'Hanlon, D., Lei, M., Percy, M.E. and Becker, L.E.
Accumulation of S100β mRNA and protein in cerebellum during infancy in Down syndrome and control subjects (36) 343
Martzen, M.R., see Cheetham, J.E. (36) 145
Matsui, T., see Dasgupta, S. (36) 292
McIntosh, T.K., see Fan, L. (36) 287
Meisinger, C., Hertenstein, A. and Grothe, C.
Fibroblast growth factor receptor 1 in the adrenal gland and PC12 cells: developmental expression and regulation by extrinsic molecules (36) 70
Min, N., see Son, J.H. (36) 300
Mishina, M., see Nagasawa, M. (36) 1
Morales, M., Battenberg, E., De Lecea, L., Sanna, P.P. and Bloom, F.E.
Cellular and subcellular immunolocalization of the type 3 serotonin receptor in the rat central nervous system (36) 251
Mori, K.J., see Nagasawa, M. (36) 1
Mower, G.D., see Kaplan, I.V. (36) 12
Muff, R., see Eggenberger, M. (36) 127
Müller, R., see Kindler, S. (36) 63

Nagasawa, M., Sakimura, K., Mori, K.J., Bedell, M.A., Copeland, N.G., Jenkins, N.A. and Mishina, M.
Gene structure and chromosomal localization of the mouse NMDA receptor channel subunits (36) 1
Nakamura, S., see Nakayama, T. (36) 189
Nakayama, T., Kawakami, H., Tanaka, K. and Nakamura, S.
Expression of three glutamate transporter subtype mRNAs in human brain regions and peripheral tissues (36) 189
Nakura, H., see Kumai, T. (36) 197
Narihara, H., see Ohkuma, S. (36) 137
Neve, R.L., see Kohn, D.T. (36) 240
Ng, M.C., Iacopino, A.M., Quintero, E.M., Marches, F., Sonsalla, P.K., Liang, C.-L., Speciale, S.G. and German, D.C.
The neurotoxin MPTP increases calbindin-D_{28k} levels in mouse midbrain dopaminergic neurons (36) 329
Nishimura, R.N. and Dwyer, B.E.
Evidence for different mechanisms of induction of HSP70i: a comparison of cultured rat cortical neurons with astrocytes (36) 227
Noga, M. and Hayashi, T.
Ubiquitin gene expression following transient forebrain ischemia (36) 261

O'Hanlon, D., see Marks, A. (36) 343
Ohkuma, S., Katsura, M., Chen, D.-Z., Narihara, H. and Kuriyama, K.
Nitric oxide-evoked [^{3}H]γ-aminobutyric acid release is mediated by two distinct release mechanisms (36) 137
Orr, H.T., see Pavlou, O. (36) 268
Ottersen, O.P., see Bjørås, M. (36) 163

Paperna, T., Lamed, Y. and Teichberg, V.I.
CDNA cloning of chick brain α-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptors reveals conservation of structure, function and post-transcriptional processes with mammalian receptors (36) 101
Parnet, P., see Goujon, E. (36) 53
Pavlou, O., Ehlenfeldt, R., Horn, S. and Orr, H.T.
Isolation, characterization and in vivo analysis of the murine *calbindin-D_{28K}* upstream regulatory region (36) 268
Percy, M.E., see Marks, A. (36) 343
Perrone-Bizzozero, N.I., see Kohn, D.T. (36) 240
Poduslo, J.F. and Curran, G.L.
Permeability at the blood-brain and blood-nerve barriers of the neurotrophic factors: NGF, CNTF, NT-3, BDNF (36) 280
Przyborski, S.A. and Cambray-Deakin, M.A.
Developmental regulation of α-tubulin mRNAs during the differentiation of cultured cerebellar granule cells (36) 179
Puchacz, E., Stumpf, W.E., Stachowiak, E.K. and Stachowiak, M.K.
Vitamin D increases expression of the tyrosine hydroxylase gene in adrenal medullary cells (36) 193

Quintero, E.M., see Ng, M.C. (36) 329

Richards, J.G., see Luque, J.M. (36) 357
Rinken, A., see Dasgupta, S. (36) 292
Ross, C.A., see Margolis, R.L. (36) 219

Sakimura, K., see Nagasawa, M. (36) 1
Sanna, P.P., see Morales, M. (36) 251
Schwartz, N.B., see Li, H. (36) 309
Seeberg, E., see Bjørås, M. (36) 163
Silverman, R., see Afar, R. (36) 79
Smith, D.H., see Fan, L. (36) 287
Son, J.H., Min, N. and Joh, T.H.
Early ontogeny of catecholaminergic cell lineage in brain and peripheral neurons monitored by tyrosine hydroxylase-lacZ transgene (36) 300
Sonsalla, P.K., see Ng, M.C. (36) 329
Speciale, S.G., see Ng, M.C. (36) 329
Stachowiak, E.K., see Puchacz, E. (36) 193
Stachowiak, M.K., see Puchacz, E. (36) 193
Stine, O.C., see Margolis, R.L. (36) 219
Storm-Mathisen, J., see Bjørås, M. (36) 163
Strauss, K.I., see Isaacs, K.R. (36) 114
Stumpf, W.E., see Puchacz, E. (36) 193

Takagi, T., see Taniguchi, H. (36) 45
Tanaka, K., see Nakayama, T. (36) 189
Tanaka, M., see Kumai, T. (36) 197
Taniguchi, H., Tohyama, M. and Takagi, T.
Cloning and expression of a novel gene for a protein with leucine-rich repeats in the developing mouse nervous system (36) 45
Tateishi, T., see Kumai, T. (36) 197
Teichberg, V.I., see Paperna, T. (36) 101
Ticku, M.K., see Hu, X.-J. (36) 211
Tohyama, M., see Furuyama, T. (36) 152
Tohyama, M., see Taniguchi, H. (36) 45
Torp, R., see Bjørås, M. (36) 163
Tsai, K.-C., see Kohn, D.T. (36) 240

Usowicz, M.M., see Grudt, T.J. (36) 93

Van der Kraan, M., see Adan, R.A.H. (36) 37

Wagster, M.V., see Margolis, R.L. (36) 219
Wanaka, A., see Furuyama, T. (36) 152
Wang, H.-L. and Wu, T.
$G_{\alpha q/11}$ mediates neurotensin excitation of substantia nigra dopaminergic neurons (36) 29
Watanabe, M., see Kumai, T. (36) 197
Watson Jr., R.E., see Hoffman, G.E. (36) 201
Wick, M.J., Fan, G. and Loh, H.H.
Expression of OBCAM-related cDNA clones in Cos 1 cells: evidence for a phosphatidylinositol linkage to the cell membrane (36) 322
Wiegand, S.J., see Hoffman, G.E. (36) 201
Wu, T., see Wang, H.-L. (36) 29
Wusher, N., see Cloëz-Tayarani, I. (36) 337

Young, P.R., see Fan, L. (36) 287
Young, W.S., see Margolis, R.L. (36) 219

Zachrisson, O., Falkenberg, T. and Lindefors, N.
Neuronal coexistence of *trk*B and glutamic acid decarboxylase$_{67}$ mRNAs in rat hippocampus (36) 169